



CERTIFICATE OF PRODUCT CERTIFICATION

CHINA CERTIFICATE FOR ENERGY CONSERVATION PRODUCT

CERTIFICATE NO.: CQC26701512448

Valid from: Jun.12,2026

Valid until: Jun.11,2029

NAME AND REGISTERED ADDRESS OF THE APPLICANT Innomotics Standard Motors Ltd.
99, Zhong Xin Road, Yizheng Jiangsu Province

BRAND NAME BEIDE

NAME AND REGISTERED ADDRESS OF THE MANUFACTURER Innomotics Standard Motors Ltd.
99, Zhong Xin Road, Yizheng Jiangsu Province

NAME AND LOCATION OF THE FACTORY Innomotics Standard Motors Ltd.
99, Zhong Xin Road, Yizheng Jiangsu Province

PRODUCT NAME, MODEL AND SPECIFICATION Flameproof three-phase asynchronous motor
see appendix

THE STANDARDS AND TECHNICAL REQUIREMENTS FOR THE PRODUCTS GB 18613-2020

TYPE OF CERTIFICATION SCHEMES Product Testing + Initial Factory Inspection + Follow up Factory Inspection

This is to certify that the above mentioned product(s) complies with the requirements of CQC31-461121-2021.

The validity of the certificate is subject to positive result of the regular follow up inspection by issuing certification body until the expiry date.

The certificate information is available through the QR code below or CNCA's website: www.cnca.gov.cn



SIGNATURE:



中国质量认证中心
CHINA QUALITY CERTIFICATION CENTRE

CHINA QUALITY CERTIFICATION CENTRE CO., LTD.
Section 9, No. 188, Nansihuan Xilu, Beijing 100070 P. R. China

Tel: +86 10 83886666
<http://www.cqc.com.cn>



CERTIFICATE OF PRODUCT CERTIFICATION

CHINA CERTIFICATE FOR ENERGY CONSERVATION PRODUCT

CERTIFICATE NO. : CQC26701512448

page 1 of 6

paper:

This certificate and attachments shall be used at the same time, and the verification instructions can be found in the main certificate.

序号	型号	电压 (V)	频率 (Hz)	额定功率 (kW)	极数	绝缘 等级	防护 等级	工作制	能效 等级
1.	1MT8004-0DA2	220△/380Y	50	0.75	2	F	IP55、IP56、 IP65	S1	2
2.	1MT8004-0DA3	220△/380Y	50	1.1	2	F	IP55、IP56、 IP65	S1	2
3.	1MT8004-0EA0	220△/380Y	50	1.5	2	F	IP55、IP56、 IP65	S1	2
4.	1MT8004-0EA4	220△/380Y	50	2.2	2	F	IP55、IP56、 IP65	S1	2
5.	1MT8004-1AA4	220△/380Y	50	3	2	F	IP55、IP56、 IP65	S1	2
6.	1MT8004-1BA2	380△/660Y	50	4	2	F	IP55、IP56、 IP65	S1	2
7.	1MT8004-1CA0	380△/660Y	50	5.5	2	F	IP55、IP56、 IP65	S1	2
8.	1MT8004-1CA1	380△/660Y	50	7.5	2	F	IP55、IP56、 IP65	S1	2
9.	1MT8004-1DA2	380△/660Y	50	11	2	F	IP55、IP56、 IP65	S1	2
10.	1MT8004-1DA3	380△/660Y	50	15	2	F	IP55、IP56、 IP65	S1	2
11.	1MT8004-1DA4	380△/660Y	50	18.5	2	F	IP55、IP56、 IP65	S1	2
12.	1MT8004-1EA2	380△/660Y	50	22	2	F	IP55、IP56、 IP65	S1	2
13.	1MT8004-2AA4	380△/660Y	50	30	2	F	IP55、IP56、 IP65	S1	2
14.	1MT8004-2AA5	380△/660Y	50	37	2	F	IP55、IP56、 IP65	S1	2
15.	1MT8004-2BA2	380△/660Y	50	45	2	F	IP55、IP56、 IP65	S1	2
16.	1MT8004-2CA2	380△/660Y	50	55	2	F	IP55、IP56、 IP65	S1	2
17.	1MT8004-2DA0	380△/660Y	50	75	2	F	IP55、IP56、 IP65	S1	2



中国质量认证中心
CHINA QUALITY CERTIFICATION CENTRE

CHINA QUALITY CERTIFICATION CENTRE CO., LTD.
Section 9, No. 188, Nansihuan Xilu, Beijing 100070 P. R. China

Tel: +86 10 83886666
<http://www.cqc.com.cn>



CERTIFICATE OF PRODUCT CERTIFICATION

CHINA CERTIFICATE FOR ENERGY CONSERVATION PRODUCT

CERTIFICATE NO. : CQC26701512448

page2of 6

paper:

This certificate and attachments shall be used at the same time, and the verification instructions can be found in the main certificate.

							IP65		
18.	1MT8004-2DA2	380△/660Y	50	90	2	F	IP55、IP56、IP65	S1	2
19.	1MT8004-3AA0	380△/660Y	50	110	2	F	IP55、IP56、IP65	S1	2
20.	1MT8004-3AA2	380△/660Y	50	132	2	F	IP55、IP56、IP65	S1	2
21.	1MT8004-3AA5	380△/660Y	50	160	2	F	IP55、IP56、IP65	S1	2
22.	1MT8004-3AA6	380△/660Y	50	185	2	F	IP55、IP56、IP65	S1	2
23.	1MT8004-3AA7	380△/660Y	50	200	2	F	IP55、IP56、IP65	S1	2
24.	1MT8004-3BA2	380△/660Y	50	220	2	F	IP55、IP56、IP65	S1	2
25.	1MT8004-3BA3	380△/660Y	50	250	2	F	IP55、IP56、IP65	S1	2
26.	1MT8004-3BA5	380△/660Y	50	280	2	F	IP55、IP56、IP65	S1	2
27.	1MT8004-3BA6	380△/660Y	50	315	2	F	IP55、IP56、IP65	S1	2
28.	1MT8004-0DB2	220△/380Y	50	0.55	4	F	IP55、IP56、IP65	S1	2
29.	1MT8004-0DB3	220△/380Y	50	0.75	4	F	IP55、IP56、IP65	S1	2
30.	1MT8004-0EB0	220△/380Y	50	1.1	4	F	IP55、IP56、IP65	S1	2
31.	1MT8004-0EB4	220△/380Y	50	1.5	4	F	IP55、IP56、IP65	S1	2
32.	1MT8004-1AB4	220△/380Y	50	2.2	4	F	IP55、IP56、IP65	S1	2
33.	1MT8004-1AB5	220△/380Y	50	3	4	F	IP55、IP56、IP65	S1	2
34.	1MT8004-1BB2	380△/660Y	50	4	4	F	IP55、IP56、IP65	S1	2



中国质量认证中心
CHINA QUALITY CERTIFICATION CENTRE

CHINA QUALITY CERTIFICATION CENTRE CO., LTD.
Section 9, No. 188, Nansihuan Xilu, Beijing 100070 P. R. China

Tel: +86 10 83886666
<http://www.cqc.com.cn>



CERTIFICATE OF PRODUCT CERTIFICATION

CHINA CERTIFICATE FOR ENERGY CONSERVATION PRODUCT

CERTIFICATE NO. : CQC26701512448

page3of 6

paper:

This certificate and attachments shall be used at the same time, and the verification instructions can be found in the main certificate.

35.	1MT8004-1CB0	380△/660Y	50	5.5	4	F	IP55、IP56、 IP65	S1	2
36.	1MT8004-1CB2	380△/660Y	50	7.5	4	F	IP55、IP56、 IP65	S1	2
37.	1MT8004-1DB2	380△/660Y	50	11	4	F	IP55、IP56、 IP65	S1	2
38.	1MT8004-1DB4	380△/660Y	50	15	4	F	IP55、IP56、 IP65	S1	2
39.	1MT8004-1EB2	380△/660Y	50	18.5	4	F	IP55、IP56、 IP65	S1	2
40.	1MT8004-1EB4	380△/660Y	50	22	4	F	IP55、IP56、 IP65	S1	2
41.	1MT8004-2AB5	380△/660Y	50	30	4	F	IP55、IP56、 IP65	S1	2
42.	1MT8004-2BB0	380△/660Y	50	37	4	F	IP55、IP56、 IP65	S1	2
43.	1MT8004-2BB2	380△/660Y	50	45	4	F	IP55、IP56、 IP65	S1	2
44.	1MT8004-2CB2	380△/660Y	50	55	4	F	IP55、IP56、 IP65	S1	2
45.	1MT8004-2DB0	380△/660Y	50	75	4	F	IP55、IP56、 IP65	S1	2
46.	1MT8004-2DB2	380△/660Y	50	90	4	F	IP55、IP56、 IP65	S1	2
47.	1MT8004-3AB0	380△/660Y	50	110	4	F	IP55、IP56、 IP65	S1	2
48.	1MT8004-3AB2	380△/660Y	50	132	4	F	IP55、IP56、 IP65	S1	2
49.	1MT8004-3AB5	380△/660Y	50	160	4	F	IP55、IP56、 IP65	S1	2
50.	1MT8004-3AB6	380△/660Y	50	185	4	F	IP55、IP56、 IP65	S1	2
51.	1MT8004-3AB7	380△/660Y	50	200	4	F	IP55、IP56、 IP65	S1	2
52.	1MT8004-3BB2	380△/660Y	50	220	4	F	IP55、IP56、 IP65	S1	2



中国质量认证中心
CHINA QUALITY CERTIFICATION CENTRE

CHINA QUALITY CERTIFICATION CENTRE CO., LTD.
Section 9, No. 188, Nansihuan Xilu, Beijing 100070 P. R. China

Tel: +86 10 83886666
<http://www.cqc.com.cn>



CERTIFICATE OF PRODUCT CERTIFICATION

CHINA CERTIFICATE FOR ENERGY CONSERVATION PRODUCT

CERTIFICATE NO. : CQC26701512448

page4of 6

paper:

This certificate and attachments shall be used at the same time, and the verification instructions can be found in the main certificate.

							IP65		
53.	1MT8004-3BB3	380 Δ /660Y	50	250	4	F	IP55、IP56、IP65	S1	2
54.	1MT8004-3BB5	380 Δ /660Y	50	280	4	F	IP55、IP56、IP65	S1	2
55.	1MT8004-3BB6	380 Δ /660Y	50	315	4	F	IP55、IP56、IP65	S1	2
56.	1MT8004-0DC3	220 Δ /380Y	50	0.55	6	F	IP55、IP56、IP65	S1	2
57.	1MT8004-0EC0	220 Δ /380Y	50	0.75	6	F	IP55、IP56、IP65	S1	2
58.	1MT8004-0EC4	220 Δ /380Y	50	1.1	6	F	IP55、IP56、IP65	S1	2
59.	1MT8004-1AC4	220 Δ /380Y	50	1.5	6	F	IP55、IP56、IP65	S1	2
60.	1MT8004-1BC2	220 Δ /380Y	50	2.2	6	F	IP55、IP56、IP65	S1	2
61.	1MT8004-1CC0	220 Δ /380Y	50	3	6	F	IP55、IP56、IP65	S1	2
62.	1MT8004-1CC2	380 Δ /660Y	50	4	6	F	IP55、IP56、IP65	S1	2
63.	1MT8004-1CC3	380 Δ /660Y	50	5.5	6	F	IP55、IP56、IP65	S1	2
64.	1MT8004-1DC2	380 Δ /660Y	50	7.5	6	F	IP55、IP56、IP65	S1	2
65.	1MT8004-1DC4	380 Δ /660Y	50	11	6	F	IP55、IP56、IP65	S1	2
66.	1MT8004-1EC4	380 Δ /660Y	50	15	6	F	IP55、IP56、IP65	S1	2
67.	1MT8004-2AC4	380 Δ /660Y	50	18.5	6	F	IP55、IP56、IP65	S1	2
68.	1MT8004-2AC5	380 Δ /660Y	50	22	6	F	IP55、IP56、IP65	S1	2
69.	1MT8004-2BC2	380 Δ /660Y	50	30	6	F	IP55、IP56、IP65	S1	2



中国质量认证中心
CHINA QUALITY CERTIFICATION CENTRE

CHINA QUALITY CERTIFICATION CENTRE CO., LTD.
Section 9, No. 188, Nansihuan Xilu, Beijing 100070 P. R. China

Tel: +86 10 83886666
<http://www.cqc.com.cn>



CERTIFICATE OF PRODUCT CERTIFICATION

CHINA CERTIFICATE FOR ENERGY CONSERVATION PRODUCT

CERTIFICATE NO. : CQC26701512448

page 5 of 6

paper:

This certificate and attachments shall be used at the same time, and the verification instructions can be found in the main certificate.

70.	1MT8004-2CC2	380△/660Y	50	37	6	F	IP55、IP56、 IP65	S1	2
71.	1MT8004-2DC0	380△/660Y	50	45	6	F	IP55、IP56、 IP65	S1	2
72.	1MT8004-2DC2	380△/660Y	50	55	6	F	IP55、IP56、 IP65	S1	2
73.	1MT8004-3AC0	380△/660Y	50	75	6	F	IP55、IP56、 IP65	S1	2
74.	1MT8004-3AC2	380△/660Y	50	90	6	F	IP55、IP56、 IP65	S1	2
75.	1MT8004-3AC5	380△/660Y	50	110	6	F	IP55、IP56、 IP65	S1	2
76.	1MT8004-3AC6	380△/660Y	50	132	6	F	IP55、IP56、 IP65	S1	2
77.	1MT8004-3BC2	380△/660Y	50	160	6	F	IP55、IP56、 IP65	S1	2
78.	1MT8004-3BC3	380△/660Y	50	185	6	F	IP55、IP56、 IP65	S1	2
79.	1MT8004-3BC4	380△/660Y	50	200	6	F	IP55、IP56、 IP65	S1	2
80.	1MT8004-3BC5	380△/660Y	50	220	6	F	IP55、IP56、 IP65	S1	2
81.	1MT8004-3BC6	380△/660Y	50	250	6	F	IP55、IP56、 IP65	S1	2
82.	1MT8004-1CD0	220△/380Y	50	2.2	8	F	IP55、IP56、 IP65	S1	2
83.	1MT8004-1CD2	220△/380Y	50	3	8	F	IP55、IP56、 IP65	S1	2
84.	1MT8004-1DD2	380△/660Y	50	4	8	F	IP55、IP56、 IP65	S1	2
85.	1MT8004-1DD3	380△/660Y	50	5.5	8	F	IP55、IP56、 IP65	S1	2
86.	1MT8004-1DD4	380△/660Y	50	7.5	8	F	IP55、IP56、 IP65	S1	2
87.	1MT8004-1ED4	380△/660Y	50	11	8	F	IP55、IP56、 IP65	S1	2



中国质量认证中心
CHINA QUALITY CERTIFICATION CENTRE

CHINA QUALITY CERTIFICATION CENTRE CO., LTD.
Section 9, No. 188, Nansihuan Xilu, Beijing 100070 P. R. China

Tel: +86 10 83886666
<http://www.cqc.com.cn>



CERTIFICATE OF PRODUCT CERTIFICATION

CHINA CERTIFICATE FOR ENERGY CONSERVATION PRODUCT

CERTIFICATE NO. : CQC26701512448

page 6 of 6

paper:

This certificate and attachments shall be used at the same time, and the verification instructions can be found in the main certificate.

							IP65		
88.	1MT8004-2AD5	380 Δ /660Y	50	15	8	F	IP55、IP56、IP65	S1	2
89.	1MT8004-2BD0	380 Δ /660Y	50	18.5	8	F	IP55、IP56、IP65	S1	2
90.	1MT8004-2BD2	380 Δ /660Y	50	22	8	F	IP55、IP56、IP65	S1	2
91.	1MT8004-2CD2	380 Δ /660Y	50	30	8	F	IP55、IP56、IP65	S1	2
92.	1MT8004-2DD0	380 Δ /660Y	50	37	8	F	IP55、IP56、IP65	S1	2
93.	1MT8004-2DD2	380 Δ /660Y	50	45	8	F	IP55、IP56、IP65	S1	2
94.	1MT8004-3AD0	380 Δ /660Y	50	55	8	F	IP55、IP56、IP65	S1	2
95.	1MT8004-3AD2	380 Δ /660Y	50	75	8	F	IP55、IP56、IP65	S1	2
96.	1MT8004-3AD5	380 Δ /660Y	50	90	8	F	IP55、IP56、IP65	S1	2
97.	1MT8004-3AD6	380 Δ /660Y	50	110	8	F	IP55、IP56、IP65	S1	2
98.	1MT8004-3BD2	380 Δ /660Y	50	132	8	F	IP55、IP56、IP65	S1	2
99.	1MT8004-3BD3	380 Δ /660Y	50	160	8	F	IP55、IP56、IP65	S1	2
100.	1MT8004-3BD5	380 Δ /660Y	50	185	8	F	IP55、IP56、IP65	S1	2
101.	1MT8004-3BD6	380 Δ /660Y	50	200	8	F	IP55、IP56、IP65	S1	2



中国质量认证中心
CHINA QUALITY CERTIFICATION CENTRE

CHINA QUALITY CERTIFICATION CENTRE CO., LTD.
Section 9, No. 188, Nansihuan Xilu, Beijing 100070 P. R. China

Tel: +86 10 83886666
<http://www.cqc.com.cn>